Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.




6257

No. 64

SPECIAL LIST NO. 64

ORCHIDS CYPRIPEDIUMS

THIS LIST CANCELS LIST No. 58



JOHN E. LAGER

HENRY HURRELL

1915

LAGER & HURRELL O'rchid Growers and Importers

SUMMIT, NEW JERSEY

CABLE ADDRESS;
"ABBACHIO" NEW YORK
A. B. C. CODE
4TH AND 5TH EDITIONS USED

LOCAL AND LONG DISTANCE TELEPHONE 438 W SUMMIT

SEPTEMBER, 1915

DEAR SIR:-

We respectfully beg to call your attention to the undermentioned list of CYPRIPEDIUMS which we offer at specially low prices in order to make room for other plants. The plants are in splendid condition and offered at prices that should prove tempting to all lovers of these plants.

In ordering, please use number in left margin only.

0) 1		
1. C. × Acme (C. nitens × Bessie K. Pitcher)	4	\$3.50
2. C × Æson (Druryi × insigne)	4	2.50
3. C. X A. Dimmock (Druryi X Godseffianum)	2	5.00
4. C. X A. Dimmock	3	7.50
5. C. X A. de Lairess (Curtisii X Rothschildianum)	2	5.00
6. C. X Ajax (Polettianum X Lawrenceanum gig.)	3	12.50
7. C. \times Alcides (insigne var. Maulei \times hirsutissimum)	3	1.50
8. C. × Alcides superbum	3	12.50
9. C. × Alice (Stonei × Spicerianum)	2	1.50
10. C. × Alice (Stonei × Spicerianum)	4	3.00
11. C. × Alcibiades superbum (Leecanum gig. × Mons		
de Curte)	3	10.00
12. C. × Almum (C. barbatum × Lawrenceanum)	3	2.50
13. C. X Archie Niel (Leeanum Compactum X Hare-		
field Hall)	2	12.50

N. A.	No. of	
No. Name	Growths	
14. C. \times Aphrodite (Niveum \times Lawrenceanum)	. 2	10.00
15. C. × Ashburtoniæ (barbatum × insigne)	$rac{2}{4}$	$1.50 \\ 2.50$
17. C. X Ashburtoniæ expansum	2	$\frac{2.50}{2.50}$
18. C. × Astraea (Philippinese × Spicerianum)		2.50
19. C. × Augustum (villosum × Haynaldianum)		1.50
20. C. × Augustum	. 3	2.00
21. C. × Augustum	. 4	2.50°
22. C. × Augustum specimen	. 7	10.00
23. C. X Albertianum (Spicerianum X insigne, var.		
Wallacei)	3	1.50
24. C. × Albertianum Superbum 25. C. × Albert Truffaut (Harrisianum × Spicerianum)	$\frac{4}{3}$	3.00
26. C. × aureum (nitens × Spicerianum)		$3.50^{\circ} \ 1.50^{\circ}$
27. C. × aureum (intens × Spicerianum)		2.50°
28. C. × aureum Hyeanum (Spicerianum × nitens)		3.50
29. C. × aureum Hyeanum		5.00
30. C. × aureum Hyeanum	4	7.50
31. C. $ imes$ aureum Hyeanum $ imes$ Mem. Jerninghamii		15.00
32. C. × aureum Surprise.		10.00
33. C. × Barbato-Mastersii	2	3.00
34. C. × Baron Schreder (Fairleanum × cenanthum	0	- 00
Sup.)	3	5.00
35C. × Baron Schreder 36. C. × Beatrice (Boxallii × Lowii)		$7.50 \\ 2.50$
37. C. × Beatrice (Boxann × Lown)		$\frac{2.50}{3.00}$
38. C. × Beatrice		5.00
39. C. × Beekmanii × Mons de Curte		15.00
40. C. × Bessie K. Pitcher (Leeanum × Villosum)		2.50
41. C. × Bessie K. Pitcher 42. C. × Bessie K. Pitcher	4	3.50
42. C. × Bessie K. Pitcher		4.50
43. C. × Blanche Moore	3	15.00
44. C. × Beryl West Point var. (C. × Beekmannii ×	0	00.00
Mrs. Martyn)		30.00
45. C. × Beryl West Point var. 46. C. Boxallii	ა 3	$\frac{40.00}{2.50}$
47. C. Boxallii	4	$\frac{2.50}{3.50}$
48. C. Boxallii atratum	3	3.50
49. C. Boxallii dilectum		3.50
50. C. Boxallii dilectum		5.00
51. C. × Boxalii × Thompsonii	2	15.00
52. C. \times Bragaianum (hirsutissimum cœrulescens \times		
Boxallii altratum)	3	2.50
53. C. × Bragaianum	4	3.00
54. C. × Bragaianum		4.00
55. C. × Bragaianum 56. C. × Bragaianum	7	$\begin{array}{c} 5.00 \\ 6.00 \end{array}$
57. C. × Buchanianum (Druryii × Spicerianum)	$\overset{\iota}{2}$	2.50
58. C. × Calanthum (Barbatum Crossii × Lowii)	$\frac{2}{2}$	3.50
59. C. Callosum	$\overline{4}$	2.50
60. C. callosum Sanderae	3	15.00
61. C. \times Calypso Oakwood var. (Spicerianum \times Box-		
allii)	3	2.00
62. C. × Calypso Oakwood var.	4	3.00
63. C. × Chas. Canham (villosum × superbiens)	1	1.50
64. C. × Chas. Canham 65. C. × Chas. Canham	$\frac{2}{3}$	2.50 3.50
66. C. Chamberlainianum	3 1	5.00
67. C. Chamberlainianum	$\frac{1}{2}$	7.50
68. C. × Chamberlainianum × Mastersii	$\frac{2}{2}$	5.00
69. C. Charlesworthi	3	2.00
70. C. Charlesworthi	4	2.50
71. C. × Colmanii nigrum (Harrisianum × Javanicum)	3	3.00
72. C. × conspicum (Harrisianum × villosum)	3	2.50
73. C. × Creon (Harrisianum superbum × ceanthum	9	1 50
superbum) 2	3	1,50,
2		

		No. of	
No.	Name	Growths	Price
74.	C. × Crossianum palidum (insigne × venustum		
	pardinum)	2	1.50
75.	C. × Crossianum palidum	$\bar{3}$	2.00
76.	C. × Crossianum Tautzianum	$\ddot{3}$	2.50
77.	$C. \times Curtisii \times purpuratum$	3	3.50
78.	C. X Curtemanii Magnificum Lows var. (Mons. de		
	Curte X Beeckmannii)	2	35.00
	C. × Dauthierii (barbatum × villosum)	4	1.50
	C. × Dauthierii marmoratum	3	1.50
	C. × Dibdin (Argus × Boxallii)	2	1.50
	C. × Dibdin	4	2.50
	C. × Donatianum (Harrisianum × insigne Wiotti)	2	2.50
	C. × Dora	2	12.50
99.	C. Rruryii	$\frac{2}{2}$	2.50
87	C. × Duchess (aureum × insigne)	2	12.50
01.	× Youngianum)	2	5.00
88	C. × Edithæ (Chamberlainianum × bellatulum)	$\overset{2}{2}$	7.50
	C. × Enfieldense (Lawrenceanum × Hookeræ)	3	3.50
	C. × Eismannii (Boxallii × Harrisianum)	$\overset{o}{2}$	2.50
	C. × Eismannii	$\bar{3}$	3.50
	C. × Evelyn Ames (Calypso × Leeanum)	2	3.50
	C. Fairieanum	4	5.00
	C. X Fairy Queen (Curtisii X Druryii)	3	10.00
	C. × Fowleri (callosum × Rothschildianum)	3	5.00
96.	$\mathbb{C}_{ullet} imes \mathbf{Fulshawense}$ (Boxallii $ imes$ Insigne Harefield		
	Hall)	2	12.50
97.	C. X Gay Gordon	2	12.50
98.	C. X Gay Gordon	3	18.00
99.	C. × Galatea (Harrisianum × Insigne)	2	2.50
100.	C. X Gaudianum (Curtisii X Harrisianum Sup.)	1	15.00
101	C. × Germinyanum (hirsutissimum × villosum)	_	1.50
	C. × Germinyanum	4	2.00
103.	C. × Germinyanum		3.00
104.	C. × Gravesiæ (Argus × nitens)	1	5.00
105.	C. X Gowerianum magnificum (curtisii X Law-		
	renceanum)	1	5.00
	$C_{\bullet} \times Gratrixianum$ (Bellatulum \times Enfieldense)		5.00
	$\mathbb{C}_{\bullet} \times \mathbf{gigas}$ (Lawrenceanum \times Harrisianum)		1.50
108.	$c. \times gigas$	3	2.50
109.	C. × gigas Corndeani	2	3.50
110.	C. × gigas Corndeani	3	$5.00 \\ 1.00$
111.	C. X Harrisianum (Villosum X barbatum) C. X Harrisianum		1.50
112.	C. × Harrisianum superbum	1	1.50
114	C. × Harrisianum superbum	$\frac{1}{2}$	2.50
115	C. × Harrisianum superbum	3	3.00
116.	C. X Harrisianum Viridiflorum (flowers all green)	2	3.50
117.	C. X Harveyanum (Stonei X Leeanum)	. 5	3.50
118.	C. × Harlequin	. 2	3.50
119.	C. Havnaldianum	1	2.00
120.	C. Haynaldianum	. 2	3.00
121.	C. X Hera Mrs. Tautz (Nitens X Spicerianum)	. 2	$3.50 \\ 1.50$
122.	C. hirsutissimum	. 3 . 2	1.50 12.50
123.	C. × Hitchense × Harefield Hall	. 4	12.50 1.50
124.	C. × Hybridum (barbatum × villosum) C. × Hybridum	. 6	$\frac{1.50}{2.50}$
120.	C. × Ianthe (Harrisianum × venustum)		2.00
	C. × Ianthe (Hallislanum × Venustum)		2.50
128	C. × Ingens (insigne × Rothschildianum)		5.00
129.	C. Insigne, 4—4½ inch pots	4— 5	1.50
130	C. Insigne, 5 inch nots	7—10	2.00
131.	C. Insigne, 6 inch pots	.2—15	2.50
132.	C. Insigne, 7 inch pots	6-20	3.50
	0		

Νo.	Name	No. of Growths	Price
	C. Insigne, 10 inch pans full	OI O W LIIS	10.00
134.	C. Insigne Amesianum	3	2.00
135.	C. Insigne Brugense	$\overset{\circ}{2}$	$\frac{2.50}{2.50}$
136.	C. Insigne Brugense		3.50
137.	C. Insigne Chantinii	2.	2.00
138.	C. Insigne Chantinii		3.50
	C. Insigne Coulsonianum, one of the finest	2	2.50
140. 141.		3 4	$\frac{3.50}{3.50}$
142.		2	
	C. Insigne Harefield Hall		3.50
144.	C. Insigne Harefield Hall	3	5.00
145.	C. Insigne Harefield Hall	4	7.50
	C. Insigne Harefield Hall		10.00
147.		3	$\begin{array}{c} 2.50 \\ 3.00 \end{array}$
140.	C. Insigne Hurrellianum C. Insigne Hurrellianum	4 5	4.00
150.	C. Insigne Lageræ	$\frac{3}{2}$	$\frac{1.00}{3.50}$
151.	C. Insigne Lageræ		5.00
152.	C. Insigne Lageræ	. 4	7.50
	C. Insigne Lindeniæ		2.50
	C. Insigne Lindeniæ		3.50
	C. Insigne Maculatum		$\frac{3.50}{3.00}$
	C. Insigne Maulei C. Insigne Monarch × Nitens		$\begin{array}{c} 3.00 \\ 15.00 \end{array}$
	C. Ii McNabianum, a grand variety		2.50
	C. Insigne Aureola, yellow variety		3.00
160.	C. Insigne Auerola, yellow variety	5	4.00
	C. Insigne Balliæ, yellow variety		3.00
	C. Insigne Brightness, yellow variety		5.00
	C. Insigne Brightness, yellow variety		$7.50 \\ 3.50$
	C. Insigne Chantini Lindeni, yellow variety		$\frac{3.50}{4.00}$
166.	C. Insigne Chantini Lindeni, yellow variety		5.00
	C. Insigne Dorothy, yellow variety		5.00
168.	C. Insigne Eyermannii, yellow variety	4	2.00
169.	C. Insigne Eyermannii, yellow variety	6	3.00
	C. Insigne Laura Kimball, yellow variety		$3.50 \\ 5.00$
171.	C. Insigne Laura Kimball, yellow variety	3 . 4	$\begin{array}{c} 5.00 \\ 7.50 \end{array}$
173	C. Insigne Luciani, yellow variety	2	5.00
	C. Insigne Luciani, yellow variety		7.50
175.	C. Insigne Luciani, yellow variety	4	10.00
176.	C. Insigne W. M. Dow, yellow variety	3	3.50
	C. Insigne Sanderæ, yellow variety		3.00
	C. Insigne Sanderæ, yellow variety		$\frac{4.50}{5.00}$
180.	C. Insigne Sanderæ, yellow variety	5	6.00
181:	C. Insigne Sanderæ, yellow variety	6	7.50
182.	C. Insigne Sanderianum Giganteum, yellow variety	4	7.50
183,	C. Insigne Westgatense, yellow variety	. 3	3.00
184.	C. Insigne Westgatense, yellow variety	. 4	4.00
	C. Insigne Westgatense, yellow variety		$\begin{array}{c} 5.00 \\ 6.00 \end{array}$
187	C. Insigne Xanthinum, yellow variety	. 3	3.00
188.	C. Insigne Xanthinum, yellow variety	. 4	4.00
189.	C. X Jas. Garfield (regale X tonsum)	. 2	3.50
190.	$C_{\bullet} \times Jas_{\bullet} K_{\bullet}$ Polk (Chamberlainianum \times nitens)	. 2	3.50
	C. × Joseph Howes (Sallierii × Villosum Aureum)		2.50
192.	$C_{\bullet} \times J_{\text{osephianum}}(Druryi \times J_{\text{avanico-superbiens}})$	$\frac{2}{3}$	$\frac{1.50}{2.50}$
193.	C. × Josephianum	. 3	$\frac{2.50}{3.00}$
195	$C_{\bullet} \times Juno \text{ (Callosum} \times Fairieanum).$. 3	10.00
196.	C. Laevigatum	. 1	2.50
197	C. Lawrenceanum	_ 2	1.50

	No. of	
No. Name	Growths	Price
198. C. Lawrenceanum	3	2.50
199. C. Lawrenceanum Hyeanum		15.00
200. C. X Laforcadei (barbatum X insigne Chantinii)	2	2.50
201. C. × Lanerianum	5	2.00
202. C. × Lathamianum (Spicerianum × villosum) 203. C. × Lathamianum. Negley's variety. A superior	2	1.50
form of the preceding	2	2.00
204. C. X Lathamianum, Negley's variety	3	2.50
205. C. X Lathamianum, Negley's variety	5	4.00
206. C. X Leander (Leeanum X villosum)	2	2.00
207. C. X Leander	3	2.50
208. C. × Leeanum (insigne × Spicerianum)	5	2.00
209. C. × Leeanum 210. C. Leeanum	8 10	$\frac{3.00}{3.50}$
211. C. × Leeanum Aureum	3	$\frac{3.30}{2.00}$
212. C. × Leeanum Aureum	4	$\frac{2.50}{2.50}$
213. C. × Aureum	5	3.00
214. C. X Leeanum Clinkaberryanum. This grand Cy-		
pripedium stands unrivaled today for its		
charming beauty and distinctiveness	3	3.00
215. C. X Leeanum Clinkaberryanum	4 5	$\frac{4.00}{5.00}$
217. C. × Leeanum Clinkaberryanum	6 6	6.00
218. C. × Leeanum Lutescens	3	$\frac{0.00}{2.50}$
219. C. × Leeanum Lutescens	5	3.50
220. C. X Leeanum Grandiflorum	4	3.50
221. C. X Leeanum Massereelianum	2	3.00
222. C. X Leeanum Nigrum	3	3.00
223. C. X Leeanum pulchellum		2.50
224. C. × Leeanum pulchellum		3.00
225. C. × Ledouxiæ (callosum × Harrisianum)	$rac{2}{2}$	$\frac{3.50}{2.50}$
227. C. × Lobengula (Harristanum higrum × vinosum)		$\frac{2.50}{3.50}$
228. C. X Lord Derby (Veitchii X Rothschildianum)	$\hat{f 2}$	7.50
229. C. X luridum (Lawrenceanum X villosum super-		
bum)		1.50
230. C. × luridum		2.50
231. C. × luridum purpureum		2:50 7.50
233. C. × Mahleræ (Rothschildianum×Lawrenceanum)	$\frac{3}{2}$	5.00
234. C. × Mahleræ		7.50
235. C. X Mahleræ	4	10.00
236. C. X Mangoldii	2	2.50
237. C. × Mangoldii	3	3.50
238. C. × Mangoldii		5.00
239. C. × Marstonæ (Callosum × Insigne Sanderae) 240. C. × Massaiana (Rotschildianum × superciliare)	$\frac{3}{1}$	15.00 3.50
241. C. × Massaiana (Rotschildianum × supercinare)	3	7.50
242. C. \times Maudiæ (Lawrenceanum, var. Hyeanum \times	_	
collosum, var. Sanderæ)	1	7.50
243. C. X Maudiæ		12.50
244. C. × Maudiæ		15.00
245. C. × Memoria-Moensii (Spicerianum × cenanthum		3.50
superbum)		5.50
pulchellum)		2.50
247. C. XMinos Lowii	3	3.00
248. C. × Minos Lowii	4	3.50
249. C. × Minos Lowii		5.00
250. C. × Minos Youngii (Arthurianum × Spicerianum)	2	5.00
251. Mlle. Madeline Gayot (Dayanum X insigne Chantinii)	^	3.50
252. C. × Mme. Barbey (Lawrenceanum × tonsum)		$\frac{3.50}{2.50}$
253. C. × Mrs. Chas. Canham (superbiens × villosum)	$\frac{2}{2}$	1.50
254. C. × Mrs. Chas. Canham		2.50

No.	Name	No. of Growths	Price
	C. × Mrs. Chas. Canham		5.00
256.	C. × Mons. de Curte × Clinkaberryanum	2	$\frac{5.00}{12.50}$
257.	C. × Mons. de Curte × Clinkaberryanum	3	18.00
258.	C. X Niobe (Short Hills, var. Fairleanum X Spice-		
050	rianum superbum)	3	4.00
259.	C. × Niobe (Short Hills var.)	4 .	5.00
261	C. × Nitens (villosum × insigne Maulei)	3 4	$1.50 \\ 2.50$
262.	C. X Nitens Gravesianum	3	$\frac{2.50}{2.50}$
	C. × Nitens Gravesianum		3.00
264.	C. X Nitens Gravesianum	6	5.00
265.	C. × Orphanum (barbatum × Druryi)	2	3.50
266.	C. × Olivia (Niveum × tonsum)	2	5.00
267.	$C_{\bullet} \times O$ sbornei (Harrisianum superbum \times Spicerianum)	2	9.50
268	anum) C. Parishii		$\frac{2.50}{2.50}$
	C. × Pavonianum iaversum (Boxallii × Venustum)	4	$\frac{2.50}{2.50}$
270.	C. × Pitcherianum (Harrisianum superbum ×	-	
	Spicerianum)	3	2.50
	C. × Pitcherianum	4	3.50
272.	C. × Premier (Beechense × Rothschildianum)		2.00
	C. × Premier	3	3.00
	$C_{\bullet} \times Premier$	4	4.00
210.	anum)	3	2.50
276.	C. × Prewetii	4	3.00
	C. × Priapus (Phillippinense × villosum)	2	2.50
278.	C. × Priapus	4	3.50
	C. × Princess (Coffinet × Fairieanum)	2	7.50
	C. × Radiosum (Lawrenceanum × Spicerianum)	4	2.50
	C. × Reynaldi (Boxalii × villosum)	$rac{2}{2}$	$\frac{3.50}{3.50}$
	C. Rothschildianum	1	3.50
284	C. Rothschildianum		5.00
285.	C. Rothschildiano-Boxallii	$\overline{2}$	3.50
286.	U. Rothschiidiano-Boxaiii	3	5.00
	C. Rothschildiano-superbiens		5.00
	C.Rothschildiano-superbiens		7.50
289.	C. Rothschildiano-superbiens C. Rothschildiano-tonsum	4 3	$10.00 \\ 7.50$
	C. × Rosetii (insigne Sanderianum × Mandiæ)	$\frac{3}{2}$	5:00
	C. × Sallieri (insigne × villosum)	4	2.00
	C. × Sallieri aureum	$\bar{3}$	2.50
294.	C. × Sallieri aureum	4	3.00
295.	C. × Sallieri aureum	5	4.00
	C. × Sallieri nigro maculatum		3.50
	C. × Sallieri nigro maculatum C. × Sallieri nigro maculatum	5 6	$\frac{4.00}{5.00}$
	C. × Sallieri nigro maculatum	8	7.50
	C. × Sallieri pictum	3	2.50
301.	C. × Sallieri pictum	4	3.00
	C. × Sallieri pictum	5	4.00
	C. × Sallieri playpetalum	3	2.00
304.	C. × Sallieri playpetalum	5 3	$\frac{3.50}{2.50}$
	C. × Schlesingerianum (Boxaiii × Insigne Wautei)	ა 4	$\frac{2.30}{3.00}$
	C. × Selligerum (barbatum × Philippinense)	2	1.50
308.	C. × Selligerum Majus	2	2.50
309.	C. × Selligerum porphyreum	2	2.50
	C. × Siebertianum (Dayanum × insigne)	2	3.50
	C. × Sibyrolense (Boxallii × insigne)	3 4	2.00
	C. Spicerianum	4	$\frac{2.50}{2.50}$
	C. Stonei Canaertianum	2	5.00
	C. Superbiens (Veitchii)	$\bar{3}$	3.50

	•	No. of	
No.	Name	Growths	Price
316.	C. × Swinburnii magnificum (Argus × insigne)	2	3.50
	C. × Swinburnii magnificum (Argus × insigne		5.00
	C. XT. B. Haywood (Druryi X superbiens)		2.00
	C. X T. B. Haywood		2.50
	C. X Tenue		1.50
321.	C. × Tenue	4	2.00
322.	C. $ imes$ Thalia, Mrs. Francis Wellesley (insigne $ imes$		
202	Schroederi)	2	7.50
	C. × Thetis (venustum × barbatum)		1.50
	C. × Thompsonii (Spicerianum × villosum)		3.50
	C. × Thompsonii		$5.00 \\ 6.00$
	$\mathbf{C} \cdot \times \mathbf{Tityus}$ (Spicerianum \times cenanthum super-		0.00
921.	• bum)		2.50
328.	C. Tonsum		1.50
	C. × tonso-Arthurianum		2.00
	C. × tonso-Arthurianum		2.50
	C. × tonso-Charlesworthi		2.50
	C. × tonso-Charlesworthi		3.50
	C. × tonso-Charlesworthi		5.00
	C. × tonso-Sanderæ		3.50
	C. × tonso-villosum	$\frac{2}{4}$	$\frac{1.50}{2.50}$
	C. × tonso-villosum	4	2.30
331.	C. X Transvaal (Chamberlainianum X Rothschildianum)	1	3.50
338	C. × Transvaal	$\frac{1}{2}$	5.00
	C. × Transyaal	$\frac{2}{3}$	7.50
	C. × triumphans (nitens × œnanthum)		7.50
	C. X Troilum (Sallierii Hyeanum X insigne San-		
	derae)	3	2.50
342.	C. × Vernixium (Argus × villosum)	2	1.50
343.	C. × Vernixium	4	2.50
344.	$ extbf{C.} imes extbf{Ville}$ de Paris (insigne Harefield Hall $ imes$		
0.45	Nitens)		12.50
	C. X Ville de Paris		18.00
	C. Villosum	4	2.50
o 4 ₁.	var. (bellatulum × Swanianum)	2	10.00
348.	C. × William Lloyd magnificum Charlesworth's		10.00
010.	var.	3	12.50
349.	C. × William McKinley	1	5.00
350.	C.× William McKinley	2	7.50
351.	$C \cdot C \cdot \times W \cdot R \cdot Lee$ (superbiens \times Rothschildianum)	. 2	5.00
352.	$C. \times W.$ R. Lee	3	7.50
353.	$\mathbb{C} \times \mathbb{W}$. W. Lunt (Boxallii \times insigne)	3	2.50
354.	C. X W. W. Lunt (Specimen)	5	3.50
355.	C × Williamsianum (Harrisianum) (williams)	8 2	7.50 1.50
	C. × Williamsianum (Harrisianum × villosum) C. × Winnianum (villosum × Druryi)	$\frac{2}{3}$	$\frac{1.50}{2.50}$
	C. × Zampa (hirutissimum & Leeanum)	2	$\frac{2.50}{2.50}$
500.	SELENIPEDIUM SECTION.		2.00
350	C. × Albo purpureum (Schlimii × Dominianum)	3	1.50
	C. × Baconis (conchiferum × Schlimii)	5	$\frac{1.50}{2.50}$
	$C_{\bullet} \times Brysa$ (Boissieranum \times Sedeni candidulum)	$\frac{0}{2}$	$\frac{2.50}{3.50}$
	C. × Brysa, large growths	3	5.00
	C. × Brownii (leucorrhodum × longifolium, var.		
	magniflorum)	2	2.50
	C. × Brownii	3	3.00
	C. × Brownii leucoglossum	3	3.50
	C. × Cunia (longiflorum × Stonei?)	3	1.50
367.	C. × conchiferum (caricinum × longifolium var.	9	1.50
368	Hartwegii) C. X Calurum (longiflorum X Sedeni)	$\frac{3}{4}$	$\frac{1.50}{2.00}$
369	C. × Calurum (longinorum × Sedem)	5	$\frac{2.00}{3.00}$
370.	C. × Cardinale (Sedenii × Schlimi Albiflorum)	4	2.00
7	The state of the s	-	-157

No.	Name	No. of	Dele
		Growths	
371.	C. × Cardinale	6	3.00
3 (Z.	C. Caudatum. Very scarce	2	2.50
5 (5. 271	C. Caudatum. Very scarce	3	3.50
975	C. × Cleola (reticulatum × Schlimii albiflorum)	3	2.00
276	C. × Dominianum (caricinum × caudatum)	3 2 -	1.50
277	C. × Eastonii (Longifolium & Lindleyanum) C. × Eastonii	3	1.50
378	C. × Eastoni	ა 4	$\frac{2.50}{3.50}$
	C. × Grande (caudatum × longifolium)	2	$\frac{3.50}{1.50}$
380	C. × Grande	3	$\frac{1.50}{2.50}$
381	C. × Geralda (caudatum × Lindleyanum)	$\frac{3}{2}$	5.00
382	C. × Leucerrhodum (Roezlii × Schlimi Albiflor-	2	9.00
00 2.	um)	2	1.50
383.	C. × Leucorrhodum	3•	$\frac{1.50}{2.50}$
384.	C. Lindleyanum	$\overset{\circ}{2}$	5.00
385.	C. Lindleyanum × C. leucorrhodum	$\frac{2}{2}$	5.00
386.	C. Magniflorum	$ar{2}$	3.50
387.	C. × Marcochilum giganteum (grande × Urope-		,
	dium Lindenii)	2	10.00
388.	C. X Mrs. W. A. Roebling (caudatum X leucorrho-		
	dum)	2	1.50
389.	C. X Mrs. W. A. Roebling	3	2.50
390.	C. X Mrs. W. A. Roebling	4	3.50
391.	C. X Nitidissimum (caudatum X Warscewiezii)	. 2	2.50
392.	C. × Nitidissimum	3	3.50
393.	C. × Nitidissimum	4	4.50
394.	C. × Penelaus (calurum × caudatum)	2	5.00
395.	C. × Perseus (Sedeni porphyreum × Lindleyanum)	2	5.00
	C. × Roezelii	2	2.00
	C. × Roezelii	3	3.00
398.	C. Sargentianum	2	3.50
	C. X Saundersianum (caudatum X Schlimii)	3	3.00
	C. X Schræderæ (caudatum X Sedeni)	2	1.00
401.	C. × Schræderæ	3	1.50
	C. × Schrederæ	4	2.00
403.	C. × Sedeni (Schlimii × longlifolium)	4	1.50
404.	C. × Sedeni	5	2.00
	C. × Sedeni		2.50
	C. × Sedeni candidulum (longifolium × Schlimii)	2	1.50
407.	C. × Sedeni candidulum	$\frac{3}{2}$	$\frac{2.50}{1.50}$
	C. X Tenellum (longifolium magnificum X Schlimii)	$\frac{2}{3}$	$\frac{1.50}{2.00}$
	C. × Tenellum	3 4	$\frac{2.00}{2.50}$
	C. × Tenellum	4	2.50
411.	C. X Titanum (Lindleyanum X longifolium) very	9	5.00
419	c. × Uranus (Lindleyanum × grande)	$rac{2}{2}$	$\frac{5.00}{2.00}$
	C. × Uranus x grande)	3	$\frac{2.00}{3.00}$
	C. × Uranus	ა 4	$\frac{3.00}{4.00}$
	C. × Urgandæ, Graves' var. (Lindleyanum ×	1	4.00
T10.	Roezli roseum). A magnificent large growing		
	Cypripedium	3	3.50
416	C. × Urgandæ, Graves' var.	4	5.00
110.	or / organium, orarios vara	7	0.00

We also wish to recommend out large stock of other established Orchids outside of Cypripediums; special lists of which may be had on application.

Also freshly imported Orchids in variety in season.

We also furnish supplies for Orchids, such as selected Orchid peat, live Sphagnum Moss, Orchid Baskets, Books on Orchids, etc.

Write for our illustrated catalogue.

Trusting to be favored with your valued order, we are, dear sirs,

Yours respectfully,

LAGER & HURRELL.